

It may be time for a new conversation.

After a heart attack, the risk of having another is high. Right now, you might feel overwhelmed. This Doctor Discussion Guide may help you have a conversation with your doctor.

Print this Discussion Guide or simply write your answers down on a piece of paper; then, bring it to your next appointment and share with your doctor.

What are you most concerned about as part of you	ur recovery? (Choose as many as you'd like.)	
 □ I'm worried about having another heart attack □ I don't want my family to be worried □ High cholesterol runs in my family and I'm not sure how to control mine 	 □ I want to enjoy my favorite foods and drinks □ I am concerned about how to change my daily routine □ Other 	
As you work on your recovery plan, it's important to making. Track your recovery efforts below and disting (Choose as many as you'd like and add any additional)	cuss with your doctor.	
Eating healthier physical activity	Taking medications after a heart attack Heart attack Graph Agency of the control of the contro	
If there are other things you've been doing, write	them down here:	
Has your doctor already discussed treatment option Y N	ons (eg, statins) to lower your bad cholesterol?	
If no , then at your next appointment be sure to ask abo	out this.	
If yes , please continue on to the next page.		

APPROVED USE

What is Repatha®?

Repatha® is an injectable prescription medicine used:

- To reduce the risk of major adverse cardiovascular (CV) events, such as death from cardiovascular disease, heart attack, stroke, certain types of chest pain conditions (unstable angina) requiring hospitalization, or certain types of heart surgery, in adults with cardiovascular disease.
- along with diet alone or together with other cholesterol-lowering medicines in adults with high blood cholesterol levels called primary hyperlipidemia (including a type of high cholesterol called heterozygous familial hypercholesterolemia [HeFH]) to reduce low density lipoprotein (LDL) or bad cholesterol.

IMPORTANT SAFETY INFORMATION

Do not use Repatha® if you are allergic to evolocumab or to any of the ingredients in Repatha®.

Before you start using Repatha®, tell your healthcare provider about all your medical conditions, including if you are allergic to rubber or latex, are pregnant or plan to become pregnant, or are breastfeeding or plan to breastfeed. Repatha® is available as prefilled single-dose SureClick® autoinjectors and prefilled single-dose syringes that either contain dry natural rubber (a derivative of latex) in the needle cover or are not made with natural rubber latex.

Please see full <u>Prescribing Information</u> and the following page for additional Important Safety Information.



Is it time to ask about Repatha®?

When it comes to lowering your cholesterol to reduce the risk of another heart attack, you feel (choose as many as you'd like):

•	

☐ Confused



☐ **Intimidated** (by the # of questions I have)



☐ Worried



Unprepared

Why did you pick that/those feeling(s)?		
	ower your risk of another heart attack; so it's always good to know your don't know the answers to the next four questions, ask your doctor during	
What is my most recent b	ad cholesterol number?	
How has this number look	xed over the past 6 months?	
What is my goal number?		
Am I close to my goal nun	nber?	

Having a heart attack is scary. Repatha® may help lower your bad cholesterol to reduce your risk of having another. Ask your doctor if Repatha® is right for you.

IMPORTANT SAFETY INFORMATION (Cont'd)

The carton and "Instructions for Use" will state if your prefilled single-dose SureClick® autoinjector or prefilled single-dose syringe contains dry natural rubber. The single-dose Pushtronex® system (on-body infusor with prefilled cartridge) is not made with natural rubber latex.

Tell your healthcare provider or pharmacist about any prescription and over-the-counter medicines, vitamins, or herbal supplements you take.

What are the possible side effects of Repatha®?

Repatha® can cause serious side effects including serious allergic reactions. Stop taking Repatha® and call your healthcare provider or seek emergency help right away if you have any of these symptoms: trouble breathing or swallowing, raised bumps (hives), rash or itching, swelling of the face, lips, tongue, throat or arms.

The most common side effects of Repatha® include: runny nose, sore throat, symptoms of the common cold, flu or flu-like symptoms, back pain, high blood sugar levels (diabetes) and redness, pain, or bruising at the injection site.

Tell your healthcare provider if you have any side effect that bothers you or that does not go away.

These are not all the possible side effects of Repatha®. Ask your healthcare provider or pharmacist for more information. Call your healthcare provider for medical advice about side effects.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

Please see full <u>Prescribing Information</u>, including Patient Product Information.