

For adults with HeFH (heterozygous familial hypercholesterolemia)

Repatha[®] is a groundbreaking treatment that dramatically lowers LDL (bad cholesterol)



What is HeFH?

HeFH is one of the most common inherited conditions. It causes high levels of LDL at an early age. In adults, it can cause LDL levels to be around twice as high as normal (e.g. >190 mg/dL). Inherited high LDL comes from abnormal genes that affect the liver's ability to remove LDL from the blood. If you have HeFH and can't seem to lower your bad cholesterol with statin therapy along with diet, Repatha[®] can help.

For more detailed information on HeFH and Repatha[®], visit FHIInherited.com

Taken every 2 weeks or once monthly, Repatha[®] + a statin lowered LDL about

60%

Repatha[®] drives LDL down in people with HeFH

And for adults with heart disease, Repatha[®] is proven to reduce the risk of heart attack and stroke.

What is Repatha[®]?

Repatha[®] is an injectable prescription medicine used:

- In adults with cardiovascular disease to reduce the risk of heart attack, stroke, and certain types of heart surgery.
- Along with diet alone or together with other cholesterol-lowering medicines in adults with high blood cholesterol levels called primary hyperlipidemia (including a type of high cholesterol called heterozygous familial hypercholesterolemia) to reduce low density lipoprotein (LDL) or bad cholesterol.

Important Safety Information

Do not use Repatha[®] if you are allergic to evolocumab or to any of the ingredients in Repatha[®].

Please see additional **Important Safety Information** on the back page.

Repatha[®] is different than a statin.

- **It works differently**
Repatha[®] increases your body's own natural ability to help get rid of LDL bad cholesterol from the blood.
- **It's taken differently**
Once a month or once every two week injection.

Two ways to take Repatha® Choose the option that's right for you

Once every two weeks



Repatha® SureClick® is a single-use autoinjector* that allows you to self-inject

Once a month



Repatha® Pushtronex® system is a single-use, on-body infusor† with prefilled cartridge that delivers your Repatha® medication

*140 mg/mL
†420 mg/3.5 mL

With either option the needle stays hidden before, during, and after taking your medicine.
Visit RepathaInjection.com for step-by-step video demonstrations.

RepathaReady® is here to help you start and stay on the right path.



RepathaReady® nurses who can help with ongoing personalized support services, including injection support over the phone and answering questions about Repatha®.

Nurse support is available in languages other than English, including Spanish.



Insurance counselors who can help you figure out your coverage, prescription copay amount, and potential options for financial assistance.

Amgen is committed to helping patients access their medicines.



Educational emails and medication reminders to help you keep track of your medication schedules.



Needle-disposal containers mailed to your door, so you can recycle your used needles safely, conveniently, and at no cost to you.

Call **1-844-REPATHA (1-844-737-2842)** 7 days a week, 9 AM-11 PM ET, to speak with a live nurse or insurance counselor.

Important Safety Information

Do not use Repatha® if you are allergic to evolocumab or to any of the ingredients in Repatha®.

Before you start using Repatha®, tell your healthcare provider about all your medical conditions, including if you are allergic to rubber or latex, are pregnant or plan to become pregnant, or are breastfeeding or plan to breastfeed. The needle covers on the single-use prefilled syringes and the inside of the needle caps on the single-use prefilled SureClick® autoinjectors contain dry natural rubber. The single-use Pushtronex® system (on-body infusor with prefilled cartridge) is not made with natural rubber latex.

Tell your healthcare provider or pharmacist about any prescription and over-the-counter medicines, vitamins, or herbal supplements you take.

What are the possible side effects of Repatha®?

Repatha® can cause serious side effects including, serious allergic reactions. Stop taking Repatha® and call your healthcare provider or seek emergency help right away if you have any of these

symptoms: trouble breathing or swallowing, raised bumps (hives), rash or itching, swelling of the face, lips, tongue, throat or arms.

The most common side effects of Repatha® include: runny nose, sore throat, symptoms of the common cold, flu or flu-like symptoms, back pain, high blood sugar levels (diabetes) and redness, pain, or bruising at the injection site.

Tell your healthcare provider if you have any side effect that bothers you or that does not go away.

These are not all the possible side effects of Repatha®. Ask your healthcare provider or pharmacist for more information. Call your healthcare provider for medical advice about side effects.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

Please see **Full Prescribing Information**.